MOUSE CAGE DENSITY STANDARD

Revised 2019

Office of Animal Care and Use – IACUC Office University of North Carolina - Chapel Hill iacuc@med.unc.edu 919-966-5569



THE UNIVERSITY

of NORTH CAROLINA

at CHAPEL HILL

UNC Standard on Mouse Cage Density *Previously referred to as Mouse Breeding Policy.



Link to Standard: <u>University Standard on Mouse Cage Density</u>

OR

Start here: https://research.unc.edu/iacuc/

Click: Policy, Standards, Guidance, and Templates


Scroll to: University Standard for Mouse Cage Density




Why is Cage Density Important?



- Animal well-being
- Adherence to Federal Policies and Guidelines
- Scientific validity and reproducibility amongst institutions





Adult Mice in Groups I of NORTH CAROLINA at CHAPEL HILL

Animals	Weight of mice (grams)	Floor Area of cage needed per animal, (inches ²)	# Adult mice per static micro- isolator 70 (inches²)	# Adult mice per green/blue line 78- 82 (Inches ²)
Mice in Groups*	<10	6	11	13
	Up to 15	8	8	9
	Up to 25	12	5	6
	>25	≥ 15	4	5
Female + litter		51 recommended	See previous chart	See previous chart
		space for the		
		housing group		

^{*}Non-breeding cages allow a maximum of 5 adults of the same sex.

Breeding Cage Density Basics



	1 Adult	2 Adults	3 Adults**
Single litter	no limit on pups	no limit on pups	no limit on pups
Multiple litters*	14 pups	11 pups	9 pups

^{*} Pup numbers are not limited until the oldest litter reaches 14 days of age.

^{**} Cages with more than 3 adult mice, plus pups, will be flagged for correction with an 'Action Required' (yellow) card.

New to the Standard in 2019




- Research staff are required to record date of birth on the DCM Weaning Notice (pink) card within three (3) days of birth
 - If DCM notices the litter before the research staff, they will mark DOB and wean date of 23 days later
- If research staff do not plan to wean the mice on Day 23:
 - They must indicate 'E' if an IACUC approved Exception is in place

OR

 They must indicate a reason in the 'Comments' section, prior to day 23

DCM "Pink" Card



Pink Card Instructions



This pink card should be used by DCM and the labs to record the litter's DOB and wean date

- 1. When a new litter is noted in the cage, document the pups date of birth (DOB) on the pink card using your best conservative estimate of age and the wean by date 23 days later
 - Use a china marker/wax pencil to record the information
 - As each litter is born, record DOB and wean by date on a separate line, if applicable
- 2. If there are no litters, remove the pink card and wipe clean, saving for further use (cards are laminated)



New 'Action Required' Card (Yellow Card)



Front	Back
 4. 3 adults: Remove pups >14 days old if there are more than 9 pups in the cage. Keep the pups with an adult female if <23 days old. 5. Separate pregnant dam 	Your initials:
Old.	#new cages:
3. 2 adults: Remove pups >14 days if there are 2 litters in cage or if there are more than 11 pups. Keep the pups with an adult female if <23 days	Cage card:
23'days of age 2. 1 adult: remove oldest litter if second litter droos	Date:
A few common resolutions for separating cages to maintain compliance: 1. Separate weanlings at	Room:
	Building:
FOR DCM USE ONLY ACTION REQUIRED BY:	Protocol:
DO NOT REMOVE	PI Name:

WHAT DOES THE YELLOW "Action Required" CARD MEAN?



- The cage exceeds UNC's Standard on Mouse Cage Density
- The lab has 48 hours (two consecutive <u>calendar</u> days) to address the density issue
- DCM will take action to bring the cage into compliance the morning of the 3rd day if not remedied by the lab
- Once you have brought the cage back into compliance, flip the
 action required card over and place it behind other cards in the
 cage card holder, so DCM knows you have taken care of the cage.
- Colonies with greater than 10% of total breeding cages flagged with the cards at any given time will be reported to the IACUC for further action.

Action Required/Yellow Card Practices



- ON Day 1 (24): DCM to mark cages exceeding cage density with a yellow "Action Required" card
- ON Day 2 (25): Lab is charged \$5.15 if card is still present on the AM on Day 2
- ON Day 4 (27): DCM separates for lab (AM), charges \$53.56
- Corrective action must be taken by the lab within 2 <u>calendar</u> days to avoid separation charges!
 - A cage flagged by DCM on a Wednesday must be separated by the lab by the end of the day Friday. DCM Separates on Saturday.
 - A cage flagged by DCM on a Friday, must be separated by Sunday to avoid separation by DCM on Monday

"Action Required" CARD IS of NORTH CAROLINA PLACED ON THE CAGE....

Cage density must be addressed by research staff within two calendar days



On Monday: Comply by Wednesday

On Tuesday: Comply by Thursday

On Wednesday: Comply by Friday

On Thursday: Comply by Saturday

On Friday: Comply by Sunday

On Saturday: Comply by Monday

On Sunday: Comply by Tuesday

Updated DCM 'Action Required' Log



ACTION REQUIRED LOG


FOR DCM USE ONLY

	BU	JILDING:		_	R	OOM #		<u> </u>	_01
	DATE	PI & PROTOCOL	CAGE CARD	RACK#		NITIALS D BY EOD?)*	TIME OF CHECK	ADDITIONAL COMMENTS (PRINT ON BACK IF NEEDED)	
Day 1					YES	NO		NEEDEDJ	ΙŢ
Day 1 (24)									
(24)									F
	2 2			8					•

Technically
Day 1 (24)
PM/Actually
early AM Day
2 (25)

DCM Options





Research Staff Should Know:



- Repeated or ongoing problems w/ Standard will be reported to the IACUC
- Contact IACUC if you cannot comply with Standard
- As a mouse breeder your lab is responsible for the management of your colony
- DCM is <u>not</u> required to contact you prior to marking or separating your cages so you should check at least every 3rd day!
- The lab will incur a \$53.56 separation fee for every cage separated by DCM



Your Lab Didn't Wean.... Now What?



(This is after the 2-day period and there's no space to separate animals)





DCM finds <u>7 adult</u> mice in a cage that are <u>over 25 grams</u>, how many should be euthanized?

Maximum # of animals allowed in a Techniplast cage= 5

Weight	Floor area per animal	Tecniplast # per cage 78-82 sq in	Conventional # per cage 70 sq in
< 10 g	6 sq. in	13	11
10 – 15 g	8 sq. in	9	8
15 – 25 g	12 sq. in	6	5
> 25 g	15 sq. in	5	4

1 Adult Mouse

2 Adult Mice

3 Adult Mice



DCM finds 3 adult mice (30g each) and 12 pups from 2 litters in a cage, one litter is 17 days old and the other is 13 days old, how many mice

should be euthanized?

	1 Adult	2 Adults	(3 Adults)
Single litter	no limit on pups	no limit on pups	no limit on pups
Multiple litters*	14 pups	11 pups	9 pups

^{*} no need to limit the number of pups until pups reach 14 days of age

1 Adult Mouse

3 (17) day old pups

3 (13) day old pups



DCM finds 9 weanling animals that are 14 grams in a cage, how many should be euthanized?

Weight	Floor area per animal	Tecniplast # per cage 78-82 sq in	Conventional # per cage 70 sq in
< 10 g	6 sq. in	13	11
10 – 15 g	8 sq. in	9	8
15 – 25 g	12 sq. in	6	5
> 25 g	15 sq. in	5	4



Recap of Compliance Standards



- If the density is corrected on the same day yellow card is placed: No charge
- If the density is <u>NOT</u> corrected the same day the card is placed:
 \$5.15 charge
- If on the third day, the density is <u>still not</u> corrected: DCM will separate and assess a \$53.56 charge
- To avoid charges: Use Comments section of Pink Card & IACUC Exceptions!
 - Details on the next slide

"E"xceptions



- Necessary deviations will be considered by the IACUC on a case-by-case basis with scientific justification and documentation provided by the PI
 - Submit a protocol amendment (including Section 8) requesting approval for a specific situation, strain, etc. with scientific justification
 - The exception will not be in effect until the PI has received written notification from the IACUC

"E"xception Examples



Example #1: Lines with larger than average litters



"E"xception




Example #2: Small mouse pup phenotypes



"E"xception



Example #3: Pups with phenotype that makes them appear more mature than they are



Breeding Cage Density Basics



	1 Adult	2 Adults	3 Adults**
Single litter	no limit on pups	no limit on pups	no limit on pups
Multiple litters*	14 pups	11 pups	9 pups

^{*} Pup numbers are not limited until the oldest litter reaches 14 days of age.

^{**} Cages with more than 3 adult mice, plus pups, will be flagged for correction with an 'Action Required' (yellow) card.

Cage Density Basics



For cages with **single litters**:

- No limit on pups with 1 adult
- No limit on pups with 2 adults
- No limit on pups with 3 adults

For cages with <u>multiple litters</u>: no limit on the number of pups, until one litter reaches 14 days old, then:

- 14 pups with 1 adult
- 11 pups with 2 adults
- 9 pups with 3 adults





Breeding Cage Requirements 🗓



Nesting material
 MUST be placed in all breeding cages at the time of setup and until pups are weaned






Breeding Etiquette



- <u>DO NOT</u> place more than one male in with females, this leads to potential fighting unless you have an Exception to do so
- Place food on floor prior to female giving birth
- Remove dead pups from cages once identified

Breeding Records




	PI: ilding: Year:						
				Month:			
Date (1st, 2nd, 3rd)		DOB	Rack#	 # Litters in cage		Strain	Initials
							1
							+

Breeding Records







Genotyping



- Complete genotyping early (so results are ready prior to wean date) to prevent overcrowded cages
 - No need to wait until weaning Genotype at D14-20, so genotypes are known at wean date!





Weaning Essentials



Wean mice by 23 days

- Most strains will reach 10 g by this age
 - If not, you need an Exception AND you should <u>NOT</u> use continuous breeding scheme
- Do not wean pups prior to reaching
 10 g
- Consult DCM Veterinary Services on how to handle strains that do not reach 10 g by 23 days of age



Weaning Tips & Supportive Care



- 1. Add feed on floor in new cage at weaning
 If weaker strain or small pups, add feed on floor prior to weaning
- 2. Toggle Lixit card is <u>REQUIRED</u> for all weaned cages
 Researcher adds dates at placement (one week) and DCM toggles
 during daily health check
- 3. Wean cohorts/groups rather than single mice whenever possible Genotype early to avoid having to re-sort after weaning
- 4. When weighing animals, ensure that a clean container is used between cages

Ask DCM for cups or disposables if needed, use hood disinfectant between cages



Weaning Tips & Supportive Care




TIPS FOR USING SUPPLEMENTAL FEEDER TO AID IN WEANING PUPS

- At 14-17days (or after the eyes are open), place moistened food and/or hydrogel into the supplemental feeder
 - This may help increase pups' nutrition prior to weaning
- Keep a supplemental feeder in the cage for 5-7 days after weaning







<u>Males</u>

- Greater anogenital distance
- Reach sexual maturity at 8 weeks
- Breed up to one year

<u>Females</u>

- Smaller anogenital distance
- Reach sexual maturity at 7-8 weeks
- Breed for approximately 6-8 months



Neonatal Mice

Differentiated by the presence of a <u>black</u>
 <u>dot</u> in male as pinkies



 Once furred, females will have teats visible





How to age young mice

Be As Accurate As Possible



DAY	EVENT	DAY	EVENT	
1	Skin real red; short curly whisk; umbilical cord	8	Fuzz on belly	
2	Straight, fine whisks; skin lighter red	9	Fur back; last day belly translucent, milk bands	
3	Ear "nub" prominent	10	Top teeth erupted; belly slight fuzz	
4	Pink smoother skin; ear flaps ½ up, down	11	Fully furred; fur short & smooth	
5	Ears up; white fuzz across shoulders	12	Nipples visible	
6	Bottom teeth erupted	13	Eyes open	
7	Entire back slightly furred	14	Ears open	

Jackson Labs Pup Appearance by Age

THE UNIVERSITY

of NORTH CAROLINA

at CHAPEL HILL



Pup Development Day 1 through Day 25







- Record <u>Date of Birth</u> for each litter on all breeding cages.
 This <u>must</u> be <u>recorded within 3 days after</u> birth of the litter on the <u>PINK CARD!</u>
- Write legibly so all information is understandable
- If you have an approved Exception for weaning, the 'E' must be written on the Pink Card!

Cage Identification – RFID cards 📗




 All cages <u>must</u> be identified by the Pl's name and protocol number. This is accomplished by the use of a DCM RFID scan card



No RFID Card?



If a DCM RFID card is <u>NOT</u>
 available, the cage still
 must be labeled with the <u>PI</u>
 name, <u>Protocol Number</u>
 and <u>Date Cage Cards</u>
 Requested can use a plain
 white card)



A few hypothetical examples...



What is wrong with these "cages"?



Cage 1





Cage 1






Nestlet and food





Cage 2






Fight wounds



- Male mice are territorial
- Severe fight wounds may require euthanasia





- Protocol number
- Date card was requested

What's The Issue?





While checking your colony you come across a cage with 10 adult mice over 25 grams in it.

The cage has too many adults

What's The Issue?





While checking your cages you notice 12 (13 gram) weanlings in a cage with an Action Required Card on the cage.

They all weigh 13 grams – only 9 should be in the cage


Weaning Essentials



Weaned pup cage density is based on body weight

Weight	Floor area per animal	Tecniplast # per cage 78-82 sq in	Conventional # per cage 70 sq in
< 10 g	6 sq. in	13	11
10 – 15 g	8 sq. in	9	8
15 – 25 g	12 sq. in	6	5
> 25 g	15 sq. in	<u>5</u>	<u>4</u>

After Correcting the Cage Density:



- Flip over the Action Required card
- Throw the Action Required card away
- Add the Action Required card to your private collection

Euthanasia: Rodent Pups and Adults



- The method of euthanasia of pups and adults must be described and approved in the application.
- Ensure lab members only utilize methods approved in the application and that they are trained and certified to use.
- Unweaned pups are vertebrate animals and must be treated humanely and in compliance with federal and institutional policies
- The number of pups euthanized prior to weaning should be estimated in the 'unweaned' column of ACAP table 4.0.3 (Animal Numbers Table). The PI/Lab is responsible for accounting and tracking the number of pups euthanized prior to weaning.



Donated Animals



- If you have extra animals you cannot use, please contact the DCM Training team (DCMTraining@unc.edu). They may be able to use the animals for their training classes.
- Requirements: Animals must <u>not</u> be transgenic or experimentally manipulated.

- Listserv: A useful collection of people at UNC that exchange ideas and experiences.
- Serves as the liaison that improves communication between PIs and the IACUC.

http://research.unc.edu/Offices/NLAC/index.htm



Colony Management Lecture 📗




- The Division of Comparative Medicine Colony
 Management Core conducts voluntary Mouse Colony
 Management lectures on an as needed basis.
- If interested, please contact:

DCMTraining@unc.edu









QUESTIONS???

Email: <u>iacuc@med.unc.edu</u>

Need help with all those breeding cages?

DCM Colony Management

Natallia Riddick, Ph.D.: natallia_riddick@med.unc.edu

Colony Management Supervisor, DCM

Office: 919-843-6565



Preclinical Research Unit for Experimental and Colony Support

Charlene Santos (Director): cmross@email.unc.edu

Office: 919-843-7988

Alicia Chandler (Manager): chandlea@email.unc.edu





